

11-24-00

November 21, 2000

Docket No.: M-9601 US

Box Patent Application
Commissioner For Patents
Washington, D. C. 20231

Enclosed herewith for filing is a patent application, as follows:

Inventor(s): Lee, Sungil

Title: Method And System For Supplying Products From Pre-Stored Digital Data In Response To Demands Transmitted Via Computer Network

☒ Return Receipt Postcard
☒ This Transmittal Letter (in duplicate)
8 page(s) Specification (not including claims)
4 page(s) Claims
1 page Abstract
4 Sheet(s) of Drawings
2 page(s) Declaration For Patent Application and Power of Attorney
1 page(s) Recordation Form Cover Sheet (in duplicate)
1 page(s) Assignment

☒ Applicant(s) assert(s) entitlement to small entity status for the attached patent application

CLAIMS AS FILED (fees computed under 37 CFR §1.9(f))

For	Number Filed			Number Extra		Rate		Basic Fee
Total Claims	12	-20	=	0	x	\$ 9.00	=	\$ 0.00
Independent Claims	1	-3	=	0	x	\$40	=	\$ 0.00
<input type="checkbox"/> Fee of _____ for the first filing of one or more multiple dependent claims per application								\$
<input type="checkbox"/> Fee for Request for Extension of Time								\$

Please make the following charges to Deposit Account 19-2386:

- ☒ Total fee for filing the patent application in the amount of \$ 355.00
☒ The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account 19-2386.

EXPRESS MAIL LABEL NO:

EM 263037617 US

Respectfully submitted,

Norman R. Klivans
Norman R. Klivans
Attorney for Applicant(s)
Reg. No. 33,003

**METHOD AND SYSTEM FOR SUPPLYING
PRODUCTS FROM PRE-STORED DIGITAL DATA IN RESPONSE
TO DEMANDS TRANSMITTED VIA COMPUTER NETWORK**

Sungil Lee

5

BACKGROUND OF THE INVENTION

Technical Field

10 The present invention relates to a digital data duplication system that
utilizes one or more computer networks to automate the process from order-
taking to product delivery. More specifically, the invention permits users of
CD duplication services to directly place requests into a server, which then
schedules production, allocates resources, executes duplication, and sorts the
products for shipment.

15

Description of Related Art

20 Before the advent of recordable digital compact disks (hereinafter
"CD-Rs"), the transfer of data onto compact digital disks was a costly
procedure, economically feasible only when manufacturing a large number of
copies. Users whose applications required relatively few copies or required
frequent data updates could not reap the benefits of this compact disk
duplication technology, even though low-cost disk-readers were readily
25 available.

The advent of CD-R was intended to allow users to record their own
disks and thereby achieve significant savings. Unlike a common compact disk
that has been pressed by a mold, a CD-R typically has a dye layer that is etched
by a laser contained in the CD-R disk drive. Once etched, the "burned" CD-R
30 disk is unalterable.

Several practical problems have prevented CD-R users from attaining maximal efficiency in the copy process, especially when attempting to make multiple disk copies in a short amount of time. One of the problems that typically arise in a volume copying process using CD-R writers is the necessity for direct human supervision. A person has to prepare CD-R disks for copying, remove the disks from the CD-R writer once copying is complete, and then prepare the disks for inspection to ensure no defective CD-R disks are retained in the completed set of copies. Aside from the tedium involved that may increase errors, requiring human attention in this process adds a significant labor cost that is added to the end-user price.

One solution to the human supervision problem is a programmable, automatic compact disc duplication system. That system, which includes a copy unit, a host computer and a computer software that provides a user interface, is further discussed in U.S. Pat. No. 6,141,298, incorporated herein by reference. While the system in the above patent eliminates some of the manual steps that creates inefficiency, it still leaves many steps to be handled by operators.

SUMMARY

The present invention relates to a method and system of taking customer requests and writing the requested digital data onto various digital recording media, such as CD-ROMs, CDs, mini-CDs, or DVDs. Using this method, a customer can request any quantity of a specific CD, mini-CD, or DVD through an electronic commerce transaction system or a website and have a server automatically process the request so that it is ready for delivery. Upon order entry, the customer interface website first sends an electronic mail (e-mail) to a CD Writer Server. The e-mail triggers the CD Writer Server to update a log of requests and send signals to one or more printing devices that prepare address labels for delivery. Once the log is updated, the CD Writer

Server schedules the requests based on estimated process time, availability of the appropriate output device, suitability of particular devices for handling a particular request, among other characteristics. Information on process time is obtained from an internal archive of the digital data used to produce the ordered CDs. Likewise, the information concerning the availability of each output device in the system is found in internal resource files. When scheduling is complete, the CD Writer Server converts the e-mail requests into machine language and sends write commands to designated output devices.

One important object of the present invention is to cost-effectively duplicate CDs using CD writers in response to requests received from remote customers. The present invention removes the inefficiency associated with human supervision, and eliminates the need for inventory.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a schematic depiction of the three modules comprising a CD Writer Server.

FIG. 2 is a block diagram depicting the process flow from order receipt to production.

FIG. 3 is a schematic depiction of the functions of the Log Manager.

FIG. 4 is a schematic depiction of the functions of CD Writer Control.

DETAILED DESCRIPTION

The present method and system relate to conducting a business that supplies any type of written or printed material, such as invitations, books, cards, and similar materials that can be mechanically produced from an archive of digital information. In one embodiment, the present invention is adapted to produce various digital recording media, such as CD-ROMs, CDs, mini-CDs, and DVDs (hereinafter collectively referred to as CDs). The invention is implemented through a computer system herein referred to as CD Writer Server. CD Writer Server 100 processes customer requests by using three

modules that work together: Log Manager 200, Resource Manager 300, and CD Writer Control 400 (see FIG. 1). A "module," as used herein, refers to the functionality and not the configuration of components.

The CD Writer Server 100 typically resides on an e-mail server because the CD Writer Server commonly communicates with the customer interface 10 via e-mails. The order fulfillment process is triggered when a customer enters a request through a customer interface 10. A customer interface includes but is not limited to a website, a web server, an electronic commerce transaction system, a customized start page, or an e-mail subsystem. At the interface, the customer is prompted to provide 1) the content(s) he wants duplicated, for example identifiers of songs, movies, or software, 2) the desired quantity, 3) personal information such as the name, address, and phone number of the customer, 4) the desired shipping method, 5) the due date, and 6) a payment or a method of payment, such as a credit card number, among other information. After the request has been entered and the CD Writer Server 100 has scheduled the request, the customer may be able to see an estimated delivery date at the interface 10.

The present system manages payment at the customer interface 10, either through an e-commerce transaction system involving a credit card number, or through an account number to which charges can be made. Managing payment through an e-commerce system significantly reduces the amount of human supervision that is required.

As shown in FIG. 2, the CD Writer Server 100 module that first receives an e-mail order from the customer interface is Log Manager 200. FIG. 3 shows that upon receiving an e-mail, Log Manager 200 first interprets it 210 and extracts certain information, including but not limited to the mailing address. Then, Log Manager 200 time-stamps each incoming e-mail 220 and lines it up in the order of receipt 230, creating a log that CD Writer Control 400 can eventually retrieve and process. In addition, Log Manager 200 sends the extracted mailing address information 240 to an address label printer 600.

The printer **600** is optionally attached to the CD Writer Server **100**. Log Manager **200** repeats **250** the process with each incoming e-mail request, updating the log with each request.

- After Log Manager updates the log, CD Writer Control **400** retrieves the log and examines it **410** in conjunction with the information stored in Resource Manager to schedule the production of CDs. The information CD Writer Control retrieves from Log Manager **200** pertains to the specifics of a request, such as the order quantity and the requested content. In contrast, the information stored in Resource Manager **300** pertains to hardware configuration and digital data that represent contents that can be transferred to a blank medium. As FIG. 2 shows, Resource Manager maintains two types of files: a set of resource files **310**, one file for each of the output devices controlled by CD Writer Server, and an archive **320** of all the sounds, images, and characters used to execute the duplication requests.
- In one embodiment, there are as many resource files **310** in Resource Manager **300** as there are output devices (hereinafter CD Writers) **500**. For example, Resource Manager **300** shown in FIG. 2 stores N resource files **310** because there are N CD Writers **500**. Each resource file contains the name and the IP address of each CD Writer **500**, the number of drives and printers in each of those machines, and the number of blank CD-Rs remaining in each machine, among other information. Moreover, the resource file **310** keeps track of which data from its archive **320** has been copied to the internal cache **520** of each CD Writer **500** and how much cache space remains in each machine. The latter information becomes important when some data needs to be purged in order to download new data. As FIG. 2 shows, Resource Manager **300** and CD Writer Control **400** maintain close communication **330** so that every time CD Writer Control **400** sends a write command **440** to one of the CD Writers **500**, Resource Manager **300** can update the resource file **310** for that CD Writer.

As mentioned above, Resource Manager **300** also stores an archive **320** of all the sounds, images, and characters used to produce the requested CDs. The archive can be internally indexed by part numbers, each part number being associated with a path name. In one, the hard drive of Resource Manager **300** was designed to hold at least 1,000 CD contents along with corresponding graphics, which are to be physically printed on the CDs (the number of contents the archive can hold depends on the amount of data that each content corresponds to). In order to change or update the contents of the archive, an operator would have to delete some of the existing data and download new data from a network or a digital storage medium.

CD Writer Control **400** retrieves information from both Log Manager **200** and Resource Manager **300** to schedule production for each CD Writer **500** connected to the system. In order to optimize production, CD Writer Control **400** must first calculate the process time for each order **412**. This calculation is performed by first reading the title of the requested songs or movies from the order log and looking up the size of those songs or movies in the Resource Manager archive. Then, CD Writer Control **400** can schedule the requests according to whatever criteria that best suits the business (i.e., it can be programmed). For example, it can schedule the duplication jobs in the order that the requests were received, to ensure that between two requests with approximately equal process times, the request that was received first will be processed first. Alternatively, it can prioritize the request with a closer due date or an order marked "high priority." Furthermore, if there are multiple orders requesting the same content, CD Writer Control **400** can group those orders so that they can be produced together **414** (but the mailing address labels would be different for each order). Other factors may only be taken into account in the scheduling algorithm.

Since there are different types of CD Writers **500** (for example, CD Writers for DVDs and CD Writers for mini-CDs) with different cache **520** contents and varying numbers of drives **510**, scheduling involves careful selection of a CD Writer for each job. CD Writer Control **400** selects **(416,**

418) a CD Writer 500 based on the hardware configuration data stored in Resource Manager's resource files 310. CD Writer Control 400 would send a job to the next available CD Writer 500 of the appropriate type that already has the requested content in its cache 520. For optimal production, as many machines as possible would be processing orders concurrently.

Once scheduling is complete, CD Writer Control tells the designated CD Writer to begin the duplication process by sending a "write" command in the appropriate machine language 440. However, before sending the "write" command, CD Writer Control 400 must check to make sure there are enough blank CD-Rs 540 loaded in the particular machine, as shown in FIG. 4. CD-R, as used herein, refers to any kind of medium onto which data can be fixed, printed, embodied, or stored, and from which the information fixed, printed, embodied, or stored therein can be perceived, reproduced, used, or otherwise communicated, either directly or indirectly with the aid of a device. Each CD Writer can be designed to hold as many number of CD-Rs as is practical. If there is an insufficient number of blank CD-Rs remaining, CD Writer Control notifies the operator with a short message 448. If there are enough blank CD-Rs, CD Writer Control will send the write command for the proper number of CDs 440. Note that the maximum number of CDs that can be written and printed with one "write" command is equal to the number of drives in the CD Writer that is processing the order (shown as n in FIG. 4). Thus, CD Writer Control repeatedly sends 446 a "write" command to the designated machine until the requested number of CDs have been produced. When a request is fulfilled, CD Writer Control 400 proceeds to the next request scheduled for the particular CD Writer.

In the event that no CD Writer of the appropriate type contains the requested data in its cache, CD Writer Control must check whether there is enough cache space left in the machine and download 432 the necessary data onto that machine from the Resource Manager internal archive. Only after downloading is complete can the CD Writer Control send its "write" command, which directs the CD Writers to transfer a specific subset of data

from their cache to the blank CD-Rs. In one embodiment, each CD Writer is designed to hold up to about 200 CD images and printer graphics (depending on the size of the images).

Writing a CD entails not only transferring digital data from the cache
5 **520** to the blank CD-Rs **540**, but also printing certain graphics on the surface of the mediums. Thus, each CD Writer must be equipped with at least one printing device **530**.

While the present invention is illustrated with particular embodiments,
it is not intended that the scope of the invention be limited to the specific and
10 preferred embodiments illustrated and described.

I claim:

1. A computer-implemented method of digital data duplication comprising:

5 taking requests at one or more user interfaces;
transmitting said requests through a network to a computer;
assigning each of said requests to one of a plurality of output devices;
and
10 executing the duplication process.

2. The method of claim 1, wherein the medium for said duplication is a
digital information storing medium comprising compact disks, mini compact
15 disks, or digital versatile disks.

3. The method of claim 1, wherein said duplication process comprises
transferring digital data onto blank recordable digital compact disks.

4. The method of claim 1, wherein said computer comprises:
20 at least one first module configured to create a task log based on
incoming requests;
at least one second module configured to store all data necessary for
executing said duplication process;

25 at least one third module configured to create a subset of said data
stored in said second module, further configured to download said
subset to one of said output devices, and further configured to
command said output device to transfer said subset onto blank media;
and

30 a connection through which said second module communicates with
said first module and said third module.

5. The method of claim 4, wherein said data stored in said second module comprises:

an expandable indexed archive of digital data, said data representing contents available for request by customers; and

5

at least one resource file for each of said output devices in communication with said computer.

6. The method of claim 5, wherein said data in each said resource file comprise:

10

name and type of one of said output devices;

network address of said output device;

number of drives in said output device;

availability of said output device;

15

number of blank recording mediums pre-loaded in said output device;

index of digital data that has been downloaded onto said output device; and

hard drive capacity remaining in said output device.

20 7. The method of claim 4, wherein said first module is configured to send at least one signal to at least one printing device to create mailing address labels for each of said requests.

8. The method of claim 1, wherein assigning said requests comprises:

grouping together requests for the same content;

25

directing said requests to the most immediately available output device that is capable of making the requested duplication onto the requested type of recording medium;

tracking the number of recording mediums remaining in each output device;

notifying an operator if more recording mediums need to be loaded;

finding the digital data that corresponds to the requested content;

5

sending a write command to said output device in the format that said output device understands;

10 waiting for the output device to perform the requested number of duplications; and

repeating the above steps each time a new request is entered.

9. The method of claim 8, wherein finding the digital data comprises:

15 checking the cache of said output devices for data representing the requested content(s);

deleting enough pre-existing data in said cache to make room for said requested content; and

20 downloading said requested content from said computer onto said cache of said output device.

10. The method of claim 4, wherein each module that comprises said computer is responsive to electronic mail commands.

25 11. A system for duplication of data onto digital recording mediums, the system comprising:

a customer interface; and

a communication network connecting said customer interface to a server that schedules and processes duplication.

30

12. The system of claim 11, wherein said server comprises:

first module for creating a log of customer requests;

second module for storing the data to be duplicated;

third module for scheduling the duplication of each request and directing each request to one of a plurality of output devices;

at least one printing device for producing mailing labels for each request; and

at least one output device for transferring the data requested by customers from an internal data storage onto digital recording mediums.

**METHOD AND SYSTEM FOR SUPPLYING
PRODUCTS FROM PRE-STORED DIGITAL DATA IN RESPONSE
TO DEMANDS TRANSMITTED VIA COMPUTER NETWORK**

5

Sungil Lee

ABSTRACT

10 The present invention relates to a digital data duplication system that
utilizes one or more computer networks to automate the process from order-
taking to delivery, eliminating the need for human supervision. Customers
enter requests for a given number of machine-readable articles containing
digital data, typically compact disks. The requests are transferred to a website,
which sends to a server electronic mails containing the details of the requests.
Upon receiving an electronic mail, the server directs a printing device to
15 produce mailing labels for shipment. The server has an internal archive of all
data it uses to convert blank CD-Rs into the requested CDs, and is connected
to a series of CD-R writing machines. The server schedules each request,
downloads necessary data onto the CD-R writing machine that is assigned a
particular request, and sends a write command. The CD-R writing machine
20 subsequently transfers the data in its cache onto the pre-loaded CD-Rs. After
the data transfer is complete, the CDs embodying the requested information
are automatically placed in a bin for shipment.




FIG. 1




FIG. 2




FIG. 3




FIG. 4

DECLARATION FOR PATENT APPLICATION AND POWER OF ATTORNEY

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below adjacent to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of subject matter (process, machine, manufacture, or composition of matter, or an improvement thereof) which is claimed and for which a patent is sought by way of the application entitled

METHOD AND SYSTEM FOR SUPPLYING PRODUCTS FROM PRE-STORED DIGITAL DATA IN RESPONSE TO DEMANDS TRANSMITTED VIA COMPUTER NETWORK

which (check) ☒ is attached hereto.
☐ and is amended by the Preliminary Amendment attached hereto.
☐ was filed on as Application Serial No.
☐ and was amended on (if applicable).

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information, which is material to patentability as defined in Title 37, Code of Federal Regulations, § 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, § 119(a)-(d) of any foreign application(s) for patent or inventor's certificate or any PCT international application(s) designating at least one country other than the United States of America listed below and have also identified below any foreign application(s) for patent or inventor's certificate or any PCT international application(s) designating at least one country other than the United States of America filed by me on the same subject matter having a filing date before that of the application(s) of which priority is claimed:

Prior Foreign Application(s)			Priority Claimed	
Number	Country	Day/Month/Year Filed	Yes	No
N/A			<input type="checkbox"/>	<input type="checkbox"/>

I hereby claim the benefit under Title 35, United States Code, § 119(e) of any United States provisional application(s) listed below:

Provisional Application Number	Filing Date
N/A	

I hereby claim the benefit under Title 35, United States Code, § 120 of any United States application(s) or PCT international application(s) designating the United States of America listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior application(s) in the manner provided by the first paragraph of Title 35, United States Code, § 112, I acknowledge the duty to disclose information, which is material to patentability as defined in Title 37, Code of Federal Regulations, § 1.56, which became available between the filing date of the prior application(s) and the national or PCT international filing date of this application:

Application Serial No.	Filing Date	Status (patented, pending, abandoned)
N/A		

I hereby appoint the following practitioners to prosecute this application and to transact all business in the United States Patent and Trademark Office connected therewith:

Customer Number 24251



Please address all correspondence and telephone calls to:

George Wolken Jr.
SKJERVEN MORRILL MacPHERSON LLP
 25 Metro Drive, Suite 700
 San Jose, California 95110-1349

Telephone: 408-453-9200
 Facsimile: 408-453-7979

I declare that all statements made herein of my own knowledge are true, all statements made herein on information and belief are believed to be true, and all statements made herein are made with the knowledge that whoever, in any matter within the jurisdiction of the Patent and Trademark Office, knowingly and willfully falsifies, conceals, or covers up by any trick, scheme, or device a material fact, or makes any false, fictitious or fraudulent statements or representations, or makes or uses any false writing or document knowing the same to contain any false, fictitious or fraudulent statement or entry, shall be subject to the penalties including fine or imprisonment or both as set forth under 18 U.S.C. 1001, and that violations of this paragraph may jeopardize the validity of the application or this document, or the validity or enforceability of any patent, trademark registration, or certificate resulting therefrom.

Full name of sole inventor: SUNGIL LEE

Inventor's Signature:

Date:

11-20-2000

Residence:

San Jose, California 95112

Post Office Address:

3219 Cantada Court
 San Jose, CA 95112

Citizenship:

USA

695299 v1